



PL-C Cluster 2-Pin Base

PL-C 13W/841/2P 1CT/5X10BOX ALTO


Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum efficiency and sleek design solutions are required.

Product data

General Information		Approval and Application	
Cap-Base	GX23-2	Mercury (Hg) Content (Nom)	1.4 mg
Life to 50% Failures (Nom)	10,000 hour(s)		
Light Technical		Product Data	
Color Code	841 [CCT of 4100K]	Order product name	PL-C 13W/841/2P 1CT/5X10BOX ALTO
Luminous Flux	800 lm	Full product name	PL-C 13W/841/2P 1CT/5X10BOX ALTO
Color Designation	Cool White (CW)	Order code	927904984030
Correlated Color Temperature (Nom)	4100 K	Material Nr. (12NC)	927904984030
Luminous Efficacy (rated) (Nom)	62 lm/W	Numerator - Quantity Per Pack	1
Color rendering index (CRI)	82	EAN/UPC - Product/Case	046677110987
Operating and Electrical		Numerator - Packs per outer box	10
Power Consumption	12.7 W	EAN/UPC - Case	60046677110989
Lamp Current (Nom)	0.285 A		
Controls and Dimming			
Dimmable	No		


PL-C Cluster 2-Pin Base

Dimensional drawing




Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
PL-C 13W/841/2P 1CT/5X10BOX	27.1 mm	27.1 mm	80.7 mm	99.0 mm	121.6 mm
ALTO					

Photometric data




Spectral Power Distribution Colour - PL-C 13W/841/2P 1CT/5X10BOX ALTO

Lifetime



Life Expectancy Diagram - PL-C 13W/841/2P 1CT/5X10BOX ALTO



Lumen Maintenance Diagram - PL-C 13W/841/2P 1CT/5X10BOX ALTO

PL-C Cluster 2-Pin Base

Lifetime

Life Expectancy Diagram - PL-C 13W/841/2P 1CT/5X10BOX ALTO

