



LED PAR30 S/L

12PAR30S/EXPERTCOLOR RETAIL/F25/930/ DIMB

Philips LED spots with a single optic beam, provide a clean beam that's free from shadows with beam angles from 15 and 40 degrees to suit every general lighting application.

Product data


General Information		Lamp Current (Nom)	
Cap-Base	E26 [Single Contact Medium Screw]		120 mA
Nominal lifetime	25,000 hour(s)	Wattage Equivalent	75 W
Switching Cycle	50,000	Starting Time (Nom)	0.5 s
Lighting Technology	LED	Warm-up time to 60% light	0.5 s
EU RoHS compliant	Yes	Power Factor (Fraction)	0.9
		Voltage (Nom)	120 V
Light Technical		Temperature	
Color Code	930 [CCT of 3000K]	T-Case Maximum (Nom)	194 °F
Beam Angle (Nom)	25 degree(s)		
Luminous Flux	880 lm	Controls and Dimming	
Luminous Intensity (Nom)	4,500 cd	Dimmable	Yes
Color Designation	White (WH)		
Correlated Color Temperature (Nom)	3000 K	Mechanical and Housing	
Luminous Efficacy (rated) (Nom)	73 lm/W	Bulb Shape	PAR30S [PAR 3.75 inch/95mm Short]
Color Consistency	<6		
Color rendering index (CRI)	90	Approval and Application	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Suitable For Accent Lighting	Yes
		Energy Consumption kWh/1000 h	- kWh
Operating and Electrical		Product Data	
Line Frequency	60 Hz	Order product name	12PAR30S/EXPERTCOLOR RETAIL/F25/930/ DIMB
Input Frequency	60 Hz		
Power Consumption	12 W		

LED PAR30 S/L

Full product name	12PAR30S/EXPERTCOLOR RETAIL/F25/930/ DIMB
Order code	471094
Material Nr. (12NC)	929001286204
Numerator - Quantity Per Pack	1


EAN/UPC - Product/Case	046677471095
Numerator - Packs per outer box	6
EAN/UPC - Case	50046677471090

Dimensional drawing




Product	D	C
12PAR30S/EXPERTCOLOR RETAIL/F25/930/DIMB	3-3/4 inch	3-11/16 inch


Photometric data



Spectral Power Distribution Colour - 12PAR30S/EXPERTCOLOR RETAIL/
F25/930/DIMB





Accent Lighting Spots - 12PAR30S/EXPERTCOLOR RETAIL/F25/930/DIMB



Light Distribution Diagram - 12PAR30S/EXPERTCOLOR RETAIL/F25/930/
DIMB

LED PAR30 S/L

Lifetime



Life Expectancy Diagram - 12PAR30S/EXPERTCOLOR RETAIL/F25/930/
DIMB

Lumen Maintenance Diagram - 12PAR30S/EXPERTCOLOR RETAIL/
F25/930/DIMB

