



Classic filament LEDbulbs

LED classic 100W E27 CW G120 FR ND 1PF/6

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Rated Lifetime (Hours)	15,000 hour(s)
Lighting Technology	LED
Flux measurement reference	Sphere
EU RoHS compliant	Yes
Light Technical	
Color Code	840 [CCT of 4000K]
Luminous Flux	1,521 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	144.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1

Stroboscopic effect visibility measure (SVM)	0.4
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	10.5 W
Lamp Current (Nom)	90 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.52
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	50 °C
Controls and Dimming	
Dimmable	No

Classic filament LEDbulbs

Mechanical and Housing

Bulb Finish	Frosted
Bulb Material	Glass
Bulb Shape	G120

Approval and Application


Energy Efficiency Class	D
Energy Consumption kWh/1000 h	11 kWh
EPREL Registration Number	400297
EyeComfort	Yes

Product Data

Order product name	LED classic 100W E27 CW G120 FR ND 1PF/6
--------------------	--


Full product name	LED classic 100W E27 CW G120 FR ND 1PF/6
Full product code	871869966516600
Order code	929002067901
Material Nr. (12NC)	929002067901
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718699665166
Numerator - Packs per outer box	6
EAN/UPC - Case	8718699665173

Dimensional drawing




Product	D	C
LED classic 100W E27 CW G120 FR ND 1PF/6	125 mm	177 mm

Photometric data




Light Distribution Diagram - LED classic 100W E27 CW G120 FR ND 1PF/6



Spectral Power Distribution Colour - LED classic 100W E27 CW G120 FR ND 1PF/6

Classic filament LEDbulbs

Photometric data




General uniform lighting - LED classic 100W E27 CW G120 FR ND 1PF/6

Lifetime



Life Expectancy Diagram - LED classic 100W E27 CW G120 FR ND 1PF/6



Lumen Maintenance Diagram - LED classic 100W E27 CW G120 FR ND 1PF/6

